



GSP 1



AFRISO :
02090, . . . , 5, .301
. + 38 044 332-01-32
web:www.afriso.com.ua

1
2
3
4
5
6
7
8
9

3 .
3 .
3 .
3 .
4 .
4 .
5 .
5 .
6 .

1

1.1

GSP1 –

(–)

1.2

:

-
-
-
-
-

;

;

;

;

;

2

2.1

1.

1

1

, /³

0... 2000 (4)

2

, /³

20...50 (4)

3

NiMH

4

24

5

, °C

0... + 40

6

, /

230 / 50

7

, /

6 / 0,5

8

/

,

,

72x130x26/ 295

3

3.1

,

-

3.2

3.3

(, , , . .)

3.4

4

4.1

4.2

4.3

0 °C

4.4

4.5

4.6

4.7

4.8

4.9

4.10

4.11

5

5.1

6

6.1

1,5

LED ()

6.2

LED,

6.3

6.4

1,5

On/Off

6.5

CAL.

6.6

80 / 3

5

(5)

6.7

LowBatt.

7

7.1

ALARM.

(LS),

7.2

CAL.

(ON/OFF CAL)

ALARM-LED (LS)

0 2000 / 3

LS.

(: 500 / 3)

7.3

7.4

POWER


LowBatt

4 5

8

8.1

60 %



2000 / 3

ALARM -

ONN/OFF.

9

